



SKELLERUP

Safety Footwear Catalogue

SKELLERUP.CO.NZ

Skellerup, a renowned New Zealand company, has been a leader in hand crafting durable rubber footwear since the 1930s.

We pride ourselves on our dedication to quality, innovation, and industry expertise, making our boots the go-to choice for a wide range of sectors.





Whether you work in agriculture, construction, mining, or industrial settings, Skellerup offers footwear designed to meet the unique challenges of each environment.

Our boots are built to endure the toughest conditions, providing protection, comfort, and reliability. From rugged terrains to hazardous worksites, Skellerup footwear is designed to keep you safe and comfortable.



SKELLERUP

Quatro by Skellerup

Comfort and protection with Quatro® Safety.

Discover a new standard in safety footwear with Quatro Safety range. Every pair of Quatro boots is meticulously handcrafted, ensuring an exceptional fit and unparalleled comfort. Offering the highest levels of safety protection, the Quatro Safety range has the perfect solution for your safety boot needs. Step confidently into a new era of comfort and protection with Quatro.



**Quatro Insulated
Safety S5 Knee**
FRU638 – FRU649

Standards: EN ISO 20345:2011
Safety Features: S5, CI, HRO, SRC

- Insulated knee height gumboot built for comfort, warmth, and durability
- Multi-layer insulation rated to -50°C
- Upper material: flex and ozone resistant rubber
- Lining material: insulating 4mm CR Foam
- Insole material: replaceable Quatro footbed with heel and arch support from Politech®
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Penetration resistant steel midsole
- Steel toe cap, and toe scuff guard for ultimate protection
- Ergonomic design to support the foot, lock in the ankle, and prevent heel slip
- Cushioned midsole for ultimate comfort
- SureGrip 360° S5 rated antistatic outsole. This feature does not build-up static energy in the body and therefore avoids sparks that could ignite a fire or an explosion
- Available in sizes UK 4-14



**Quatro Non Insulated
Safety S5 Knee**
FRU438 – FRU449

Standards: EN ISO 20345:2011
Safety Features: S5, HRO, SRC

- Knee height safety gumboot
- Upper material: flex and ozone resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: replaceable Quatro footbed with heel and arch support from Politech
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Penetration resistant steel midsole
- Steel toe cap, and toe scuff guard for ultimate protection
- Ergonomic design to support the foot, lock in the ankle, and prevent heel slip
- Cushioned midsole for ultimate comfort
- SureGrip 360° S5 rated antistatic outsole. This feature does not build-up static energy in the body and therefore avoids sparks that could ignite a fire or an explosion
- Available in sizes UK 4-14

Quatro Insulated Safety Knee FQS606P – FQS613P



Standards: AS/NZS 2210.3, EN ISO 20345
Safety Features: SB, P, FO, E, CI, HRO, SRC

- Insulated knee height gumboot built for comfort, warmth, and durability
- Multi-layer insulation rated to -50°C
- Upper material: flex and ozone resistant rubber
- Lining material: insulating 4mm CR Foam
- Insole material: replaceable Quatro footbed with heel and arch support from Politech
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Penetration resistant steel midsole
- Steel toe cap, and toe scuff guard for ultimate protection
- Ergonomic design to support the foot, lock in the ankle, and prevent heel slip
- Cushioned midsole for ultimate comfort
- SureGrip 360° outsole for superior traction and quick release of mud
- Available in sizes UK 6-13

Quatro Non Insulated Safety Knee FQS706P – FQS714P



Standards: AS 2210.3:2019, EN ISO 20345:2011
Safety Features: SB, P, FO, E, HRO, SRC

- Knee height gumboot trim-able to calf height with sharp scissors
- Upper material: flex and ozone resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: replaceable Quatro footbed with heel and arch support from Politech
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Penetration resistant steel midsole
- Steel toe cap, and toe scuff guard for ultimate protection
- Ergonomic design to support the foot, lock in the ankle, and prevent heel slip
- Cushioned midsole for ultimate comfort
- SureGrip 360° outsole for superior traction and quick release of mud
- Available in sizes UK 6-14

Quatro Miner FQM206 – FQM214



Standards: ASTM F2413-11, M/1/75/C/75/Mt75, PR

Test Reports: GZHT 90708115: Mt75, GZHT90473778: M/1/75
GZHT90473778: M/C/75, GZHT90473778: M/PR

- Fully waterproof hand-built rubber safety gumboot designed for the mining industry or where metatarsal protection is required
- Steel toe cap, and Ultra-Stop™ impact resistant met guard protection
- Upper material: flex and ozone resistant Skelltuff Rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: latex gold sponge insole along with a removable EVA footbed
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Penetration resistant steel midsole
- Ribbed vamp cover for extra protection and adjustable side strap
- Reinforced textured heel
- SureGrip 360° outsole for superior traction and quick release of mud
- Available in sizes UK 5-13



Quatro Dielectric

Mitigating electrical risk comfortably.

The Quatro® Dielectric range revolutionises safety with the first gumboot to offer combined Dielectric and Arc Flash protection. This boot goes beyond mere electrical insulation, delivering superior user comfort. Handcrafted from natural rubber, it boasts exceptional cut and abrasion resistance, leading to higher retest pass rates and making the Quatro Dielectric a secure and cost-effective investment.

Step confidently into safety with the Quatro Dielectric Range.

Quatro Dielectric Safety Boot FQE404 – FQE414



Standards: EN ISO 20345:2011, EN 50321-1:2018, Class 2

Safety Features: SB, E, HRO, FO

- Knee height dielectric safety gumboot for use on and around electrical installations
- Upper material: Super-flex™ ozone and flex resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: replaceable Quatro footbed with heel and arch support from Politech
- Outsole material: insulating oil resistant nitrile rubber
- Construction: vulcanised rubber
- ComfortForm steel toe cap
- Class 2 - Proof tested after manufacture to 20kV (proof test for 3 minutes) and withstand test to 30kV, and each carries a unique and traceable serial number for PPE management and control
- PPE tested for Arc Flash at 40cal/cm² using ASTM F2621 (IEC 61482-1-1 Method B) resulting in no ignition, dripping, or melting at 40Cal/cm²
- SureGrip 360° SRC rated outsole for superior traction and quick release of mud
- Available in sizes UK 4-14

Quatro Dielectric Thermal Boot FQE504 – FQE514



Standards: EN ISO 20345:2011, EN 50321-1:2018, Class 2

Safety Features: SB, E, HRO, FO

- Knee height thermally insulated dielectric safety gumboot for use on and around electrical installations in cold conditions
- Upper material: Super-flex™ ozone and flex resistant rubber
- Lining material: 4mm cold insulated SBR (Styrene-butadiene rubber)
- Insole material: replaceable Quatro footbed with heel and arch support from Politech
- Outsole material: insulating oil resistant nitrile rubber
- Construction: vulcanised rubber
- ComfortForm steel toe cap
- Class 2 - Proof tested after manufacture to 20kV (proof test for 3 minutes) and withstand test to 30kV, and each carries a unique and traceable serial number for PPE management and control
- PPE tested for Arc Flash at 40cal/cm² using ASTM F2621 (IEC 61482-1-1 Method B) resulting in no ignition, dripping, or melting at 40Cal/cm²
- SureGrip 360° SRC rated outsole for superior traction and quick release of mud
- Available in sizes UK 4-14

Red Band



A New Zealand Icon

Red Bands are a national treasure of New Zealand, they're a symbol of hard work and rugged Kiwi spirit. Since 1958, these iconic Gumboots have been handcrafted with durable rubber, making them a staple for farmers, enthusiastic supporters on the sidelines of local sporting games, and as a trusty gumboot to throw on at the back door for outdoor chores. Now, with a safety boot in the family that features a customisable height option for wearers and greater protection.



Red Band Safety Knee FRR504 – FRR514



Standards: EN ISO 20345:2011, AS 2210.3:2019, ASTM – F2413-18

Safety Features: SB, FO, E, HRO, SRA

- Knee height gumboot trim-able to traditional Red Band calf height with sharp scissors
- Upper material: flex and ozone resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: replaceable Orthotic 8mm polyurethane footbed
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Steel toe cap, and reinforced rubber scuff cap
- Cushioned midsole for ultimate comfort
- Certified electrical hazard resistance (18KV) useful when working with electric fencing
- All terrain outsole for superior traction and quick release of mud
- Available in sizes UK 4-14

Schöen

For reliable performance in demanding conditions.

Schöen Forestry boots are built to withstand the harshest environments, offering superior grip and protection. The durable natural rubber construction ensures longevity, minimising the need for frequent replacements. These boots are ideal for both large-scale operations and individual users.

Schöen Forestry Pro FSC856 – FSC864



Standards: EN ISO 20345:2011, EN ISO 17249:2013, Level 3, AS 2210.3:2019

Safety Features: SB, FO, E, HRO, SRA

- Knee height gumboot built for chain-saw protection and durability
- Level 3 chainsaw protection for chain speeds up to 28m/s
- Upper material: flex and ozone resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: foam rubber
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Reinforced shin, foot, and side panels with Kevlar® for superior chainsaw protection
- Steel toe cap, and toe scuff guard
- Multi-layer reinforced midsole with fibreglass shank for shovel work
- Adjustable laced rubber collar to repel debris
- SureGrip 360° outsole for superior traction and quick release of mud
- Available in sizes UK 6-14

Schöen Forestry Pro Spike FSC956 – FSC964



Standards: EN ISO 20345:2011, EN ISO 17249:2013, Level 3, AS 2210.3:2019

Safety Features: SB, FO, E, HRO

- Knee height gumboot built for chain-saw protection and durability
- Level 3 chainsaw protection for chain speeds up to 28m/s
- Upper material: flex and ozone resistant rubber
- Lining material: quick-drying, anti-microbial and anti-bacterial polyester
- Insole material: foam rubber
- Outsole material: heat and oil resistant nitrile rubber
- Construction: vulcanised rubber
- Reinforced shin, foot, and side panels with Kevlar® for superior chainsaw protection
- Steel toe cap, and toe scuff guard
- Multi-layer reinforced midsole with fibreglass shank for shovel work
- Adjustable laced rubber collar to repel debris
- Studded outsole with replaceable stainless-steel spikes for working on logs or steep terrain
- Available in sizes UK 6-14

Fire



Protecting those who protect us

The Skellerup Fire Boot provides Firefighters with the highest level of safety and protection to combat the most hazardous working environments man can face. Manufactured to the very latest issue of EN17249:2012, Skellerup fire boots exceed the requirements for Type 3 Hazardous Environment boots, whilst at the same time delivering the highest levels of comfort and durability.



Type 3 Fire Fighter Extreme FSI903 – FSI915



Standards: EN 15090:2012 Type 3, EN ISO 20345:2011

Safety Features: CI, I, FO, E, P, HI3, HRO, CH, AN, SRC

- Advanced Type 3 structural firefighters gumboot with full chemical protection
- Upper material: flame, heat and chemical resistant rubber
- Lining material: Nomex® leg lining
- Insole material: poliyou Multi-Fit System
- Outsole material: flame, heat and chemical resistant nitrile rubber
- Construction: vulcanised rubber
- Composite and flexible penetration resistant midsole certified to 1600N
- ComfortForm steel toe cap
- Heat Insulation HI3 250°C/40 minutes
- Comfortable carry handles
- Reflective heel and sole strips
- Slip resistant SRC commando outsole with ladder grips
- Available in sizes UK 3-15

Accessories

Quatro Innersole FMI624 – FMI633



- Designed for the ultimate underfoot comfort
- Breathable, odour-resistant, and anti-bacterial
- Features moisture wicking properties
- Built-in heel and arch support from Politech®
- Available in sizes 3–5, 6–8, 9–11, 12–14



Quatro Socks FMS500 – FMS502

- Designed with gumboots in mind
- Elasticated Support System (ESS) locks the heel and prevents the sock bunching up
- Reinforced heel and toe area for comfort and durability
- Ventilated underfoot ribs for breathability
- Paladin™ pads promote blood flow and relieve pressure on the foot
- Made individually for left and right feet (L & R)
- Composition: 64% merino wool, 22% nylon, 14% elastane
- Available in sizes 2–5, 6–10, 11–13

Schöen Boot Replacement Spikes FSC781



- Stainless-steel spikes to fit Schöen Forestry Gumboots
- 60 per bag
- Includes key for easy removal and replacement





Contact

Tony Fuller
Key Account Manager
+64 27 434 7862
tony.fuller@skellerup.co.nz

Vicki Bryson
Territory Manager
+64 27 437 4426
vicki.bryson@skellerup.co.nz

